

INDEX TO VOLUME 87

The Index for Volume 87 consists of three parts: (1) Subject Index, (2) Fungous Taxa Index, and (3) Host Index.

SUBJECT INDEX

- Abad, G., H. D. Shew, L. F. Grand, and L. T. Lucas. A new species of *Pythium* producing multiple oospores isolated from bentgrass in North Carolina. 896-901
- Adams, G. C. see Jensen et al. 431-441
- Adams, G. C., K. L. Klomparens, and P. E. Hennon. Unusual reticulated parenthosomes surround the dolipore of a hyphomycete with clamp connections, *Ditangifibulae dikaryotae* gen. et sp. nov. 909-921
- Adams, G. C. see Jensen, C. J. P., and G. C. Adams. 864-875
- Adams, G. C. see Surve-Iyer et al. 471-482
- Airborne fungi
 relation between the indoor and outdoor floras 190-195
- Al-Agely, A. K., and F. B. Reeves. Inland sand dune mycorrhizae: Effects of soil depth, moisture, and pH on colonization of *Oryzopsis hymenoides*. 54-60
- Alfenas, A. C. see Crous, P. W., and A. C. Alfenas. 121-126
- Allison, R. F. see Jensen et al. 431-441
- Allozymes
 Leucostoma 471-482
- Altés, A. see Moreno et al. 96-120
- Ammirati, J. F. see Redhead et al. 880-885
- Anaerobic fungi 655-675
- Antarctica
 arbuscular mycorrhizae 451-453
- Azevedo, M. D., and R. E. Welty. A study of the fungal endophyte *Acremonium coenophialum* in the roots of tall fescue seedlings. 289-297
- Bacon, C. W. see Richardson, M. D., and C. W. Bacon. 510-517
- Banik, M. T., J. A. Paul, and H. H. Burdsall, Jr. Identification of *Armillaria* species from Wisconsin and adjacent areas. 707-712
- Barr, D. J. S. see Ho, Y. W., and D. J. S. Barr. 655-677
- Basidiocarp production in *Agaricus bisporus* effect of cobalt and ethylene 366-369
- Bassam, B. J. see Trigiano et al. 490-500
- Bauer, R., K. Mendgen, and F. Oberwinkler. Septal pore apparatus of the smut *Ustilicystis waldsteiniae*. 18-24
- Bell, A., and D. P. Mahoney. Coprophilous fungi in New Zealand. I. *Podospora* species with swollen agglutinated perithecial hairs. 375-396
- Benade, E., M. J. Wingfield, and P. S. Van Wyk. Conidium development in the *Hyalorhinocladiella* anamorph of *Ophiostoma ips*. 298-303
- Benny, G. L. *Kirkomyces*, a new name for *Kirkia* Benny. 922
- Benny, G. L. Observations on *Thamnidaceae*. VII. *Helicostylum* and a new genus *Kirkia*. 253-264
- Bentivenga, S. P., and J. B. Morton. A monograph of the genus *Gigaspora*, incorporating developmental patterns of morphological characters. 719-731
- Benzoxazolinones
 catabolism by *Fusarium moniliforme* 510-517
- Berbee, M. L., A. Yoshimura, J. Sugiyama, and J. W. Taylor. Is *Penicillium* monophyletic? An evaluation of phylogeny in the family *Trichocomaceae* from 18S, 5.8S and ITS ribosomal DNA sequence data. 210-222
- Berres, M. E., L. J. Szabo, and D. J. McLaughlin. Phylogenetic relationships in auriculariaceous basidiomycetes based on 25S ribosomal DNA sequences. 821-840
- Bills, G. F. see Farr, D. F., and G. F. Bills. 518-524
- Biogeography
 Lentinula 618-636
- Biography
 Shanor L. 746-748
 Sinden J. W. 743-744
 Singer R. 144-145
 Uecker F. A. 923
- Biological control
 Metarhizium 354-358
 nematophagous fungi 643-649
- Blanchette, R. A. see Zimmerman et al. 857-863
- Błaszowski, J. *Glomus corymbiforme*, a new species in *Glomales* from Poland. 732-737
- Boerner, R. E. J. see DeMars, B. G., and R. E. J. Boerner. 451-453
- Bowdish, T. I. see Bultman et al. 182-189
- Bromocresol green
 status of mycelia in *Cryphonectria* 738-740
- Bultman, T. L., J. F. White, Jr., T. I. Bowdish, A. M. Welch, and J. Johnston. Mutualistic transfer of *Epichloe* spermatia by *Phorbia* files. 182-189
- Burdsall, H. H., Jr. see Banik et al. 707-712
- Burdsall, H. H., Jr. see Rizzo et al. 805-820
- Burnes, T. A. see Zimmerman et al. 857-863
- Caetano-Anollés, G. see Trigiano et al. 490-500
- Calcium oxylate
 production by oak-leaf-litter rhizomorphs 34-39
- Cano, J. see Castaneda et al. 271-272
- Carbon dioxide
 influence on shiitake cultivation 239-244
- Carlile, M. J., and S. C. Watkins. The fungi; review 426-427
- Castañeda Ruiz, R. F., J. Guarro, and J. Cano. Notes on conidial fungi. I. A new species of *Corynespora*. 271-272
- Castlebury L. A. [Review of] Recombinant microbes for industrial and agricultural applications, bioprocess technology series 19. 430
- Cavender, J. C. see Vadel et al. 551-559
- Chamberlain, M., S. Ertz, and D. S. Ingram. Effect of extracts of *Pyrenopeziza brassicae* on the reproductive development of other species of fungi. 846-856
- Chapela, I. H. see Seifert et al. 407-413
- Chromosome number
 Phytophthora infestans 579-581
- Clark, C. A. see Nelson et al. 507-509
- Cobalt
 fruiting of *Agaricus bisporus* 366-369
- Conidial dimorphism
 Colletotrichum graminicola 87-89
- Conidiogenesis
 Hyalorhinocladiella 298-303
- Crane, J. L. see Shearer, C. A., and J. L. Crane. 876-879
- Crous, P. W., and A. C. Alfenas. *Mycosphaerella gracilis* and other species of *Mycosphaerella* associated with leaf spots of *Eucalyptus* in Indonesia. 121-126
- Cryopreservation
 Entomophaga maimaiga 483-489
- Crystals
 calcium oxylate production by rhizomorphs 34-39
- Culture collection
 stability of pathogenicity in *Entomophaga* 483-489
- Daggett, S. S. see Ritch, D. L., and S. S. Daggett. 579-581
- DeMars, B. G., and R. E. J. Boerner. Mycorrhizal status of *Deschampsia antarctica* in the Palmer Station area, Antarctica. 451-453
- Denison, W. C. see Donoghue, J. D., and W. C. Denison. 239-244
- Density-dependent parasitism
 nematophagous fungi 643-649
- Deploy, J. J. Some factors af-

INDEX TO VOLUME 87

The Index for Volume 87 consists of three parts: (1) Subject Index, (2) Fungous Taxa Index, and (3) Host Index.

SUBJECT INDEX

- Abad, G., H. D. Shew, L. F. Grand, and L. T. Lucas. A new species of *Pythium* producing multiple oospores isolated from bentgrass in North Carolina. 896-901
- Adams, G. C. see Jensen et al. 431-441
- Adams, G. C., K. L. Klomparens, and P. E. Hennon. Unusual reticulated parenthosomes surround the dolipore of a hyphomycete with clamp connections, *Ditangifibulae dikaryotae* gen. et sp. nov. 909-921
- Adams, G. C. see Jensen, C. J. P., and G. C. Adams. 864-875
- Adams, G. C. see Surve-Iyer et al. 471-482
- Airborne fungi
 relation between the indoor and outdoor floras 190-195
- Al-Agely, A. K., and F. B. Reeves. Inland sand dune mycorrhizae: Effects of soil depth, moisture, and pH on colonization of *Oryzopsis hymenoides*. 54-60
- Alfenas, A. C. see Crous, P. W., and A. C. Alfenas. 121-126
- Allison, R. F. see Jensen et al. 431-441
- Allozymes
 Leucostoma 471-482
- Altés, A. see Moreno et al. 96-120
- Ammirati, J. F. see Redhead et al. 880-885
- Anaerobic fungi 655-675
- Antarctica
 arbuscular mycorrhizae 451-453
- Azevedo, M. D., and R. E. Welty. A study of the fungal endophyte *Acremonium coenophialum* in the roots of tall fescue seedlings. 289-297
- Bacon, C. W. see Richardson, M. D., and C. W. Bacon. 510-517
- Banik, M. T., J. A. Paul, and H. H. Burdsall, Jr. Identification of *Armillaria* species from Wisconsin and adjacent areas. 707-712
- Barr, D. J. S. see Ho, Y. W., and D. J. S. Barr. 655-677
- Basidiocarp production in *Agaricus bisporus* effect of cobalt and ethylene 366-369
- Bassam, B. J. see Trigiano et al. 490-500
- Bauer, R., K. Mendgen, and F. Oberwinkler. Septal pore apparatus of the smut *Ustilicystis waldsteiniae*. 18-24
- Bell, A., and D. P. Mahoney. Coprophilous fungi in New Zealand. I. *Podospora* species with swollen agglutinated perithecial hairs. 375-396
- Benade, E., M. J. Wingfield, and P. S. Van Wyk. Conidium development in the *Hyalorhinocladiella* anamorph of *Ophiostoma ips*. 298-303
- Benny, G. L. *Kirkomyces*, a new name for *Kirkia* Benny. 922
- Benny, G. L. Observations on *Thamnidaceae*. VII. *Heliostylum* and a new genus *Kirkia*. 253-264
- Bentivenga, S. P., and J. B. Morton. A monograph of the genus *Gigaspora*, incorporating developmental patterns of morphological characters. 719-731
- Benzoxazolinones
 catabolism by *Fusarium moniliforme* 510-517
- Berbee, M. L., A. Yoshimura, J. Sugiyama, and J. W. Taylor. Is *Penicillium* monophyletic? An evaluation of phylogeny in the family *Trichocomaceae* from 18S, 5.8S and ITS ribosomal DNA sequence data. 210-222
- Berres, M. E., L. J. Szabo, and D. J. McLaughlin. Phylogenetic relationships in auriculariaceous basidiomycetes based on 25S ribosomal DNA sequences. 821-840
- Bills, G. F. see Farr, D. F., and G. F. Bills. 518-524
- Biogeography
 Lentinula 618-636
- Biography
 Shanor L. 746-748
 Sinden J. W. 743-744
 Singer R. 144-145
 Uecker F. A. 923
- Biological control
 Metarhizium 354-358
 nematophagous fungi 643-649
- Blanchette, R. A. see Zimmerman et al. 857-863
- Błaszowski, J. *Glomus corymbiforme*, a new species in *Glomales* from Poland. 732-737
- Boerner, R. E. J. see DeMars, B. G., and R. E. J. Boerner. 451-453
- Bowdish, T. I. see Bultman et al. 182-189
- Bromocresol green
 status of mycelia in *Cryphonectria* 738-740
- Bultman, T. L., J. F. White, Jr., T. I. Bowdish, A. M. Welch, and J. Johnston. Mutualistic transfer of *Epichloe* spermatia by *Phorbia* files. 182-189
- Burdsall, H. H., Jr. see Banik et al. 707-712
- Burdsall, H. H., Jr. see Rizzo et al. 805-820
- Burnes, T. A. see Zimmerman et al. 857-863
- Caetano-Anollés, G. see Trigiano et al. 490-500
- Calcium oxylate
 production by oak-leaf-litter rhizomorphs 34-39
- Cano, J. see Castaneda et al. 271-272
- Carbon dioxide
 influence on shiitake cultivation 239-244
- Carlile, M. J., and S. C. Watkins. The fungi; review 426-427
- Castañeda Ruiz, R. F., J. Guarro, and J. Cano. Notes on conidial fungi. I. A new species of *Corynespora*. 271-272
- Castlebury L. A. [Review of] Recombinant microbes for industrial and agricultural applications, bioprocess technology series 19. 430
- Cavender, J. C. see Vadel et al. 551-559
- Chamberlain, M., S. Ertz, and D. S. Ingram. Effect of extracts of *Pyrenopeziza brassicae* on the reproductive development of other species of fungi. 846-856
- Chapela, I. H. see Seifert et al. 407-413
- Chromosome number
 Phytophthora infestans 579-581
- Clark, C. A. see Nelson et al. 507-509
- Cobalt
 fruiting of *Agaricus bisporus* 366-369
- Conidial dimorphism
 Colletotrichum graminicola 87-89
- Conidiogenesis
 Hyalorhinocladiella 298-303
- Crane, J. L. see Shearer, C. A., and J. L. Crane. 876-879
- Crous, P. W., and A. C. Alfenas. *Mycosphaerella gracilis* and other species of *Mycosphaerella* associated with leaf spots of *Eucalyptus* in Indonesia. 121-126
- Cryopreservation
 Entomophaga maimaiga 483-489
- Crystals
 calcium oxylate production by rhizomorphs 34-39
- Culture collection
 stability of pathogenicity in *Entomophaga* 483-489
- Daggett, S. S. see Ritch, D. L., and S. S. Daggett. 579-581
- DeMars, B. G., and R. E. J. Boerner. Mycorrhizal status of *Deschampsia antarctica* in the Palmer Station area, Antarctica. 451-453
- Denison, W. C. see Donoghue, J. D., and W. C. Denison. 239-244
- Density-dependent parasitism
 nematophagous fungi 643-649
- Deploy, J. J. Some factors af-

- fecting the germination of *Thermoascus aurantiacus* ascospores. 362-365
- Desjardin, D. E., L. Martinez-Peck, and M. Rajchenberg. An unusual psychrophilic aquatic agaric from Argentina. 547-550
- Development
- Alternaria alternata* chlamydospores 588-591
- Erysiphe pisi* on *Pisum* 138-139
- podetium in *Cladonia* 46-53
- zygospores in *Zygorhynchus* 304-318
- Dimorphism
- Wangiella dermatitidis* 153-159
- Dispersal
- Ceratocystiopsis ranunculosa* 84-86
- soredia by mites 454-458
- Distribution
- endophytes of *Dryas octopetala* 319-323
- Doggett, M. S., and D. Porter. Further evidence for host-specific variants in *Zygorhizidium planktonicum*. 161-171
- Donoghue, J. D., and W. C. Denison. Shiitake cultivation: Gas phase during incubation influences productivity. 239-244
- Donoghue, M. M. see Hibbett et al. 618-638
- Dugan, F. M., R. G. Roberts, and R. T. Hanlin. New and rare fungi from cherry fruits. 713-718
- Ecology
- sand dune mycorrhizae 54-60
- Trichoderma* & *Phellinus* in *Pseudotsuga* 639-642
- Edelmann, R. E., and K. L. Klomparens. Zygosporogenesis in *Zygorhynchus heterogamus*, with a proposal for standardization of structural nomenclature. 302-318
- Electrophoretic karyotype
- Tilletia indica* 61-66
- Elliott, M. L. Effect of melanin biosynthesis inhibiting compounds on *Gaeumannomyces* species. 370-374
- Elmer, W. H. A single mating population of *Gibberella fujikuroi* (*Fusarium proliferatum*) predominates in asparagus fields in Connecticut, Massachusetts, and Michigan. 68-71
- Endophytes
- Acremonium* in *Festuca* roots 289-297
- in *Festuca* and *Lolium* 196-202
- Xylaria cubensis* 592-595
- Enumeration
- vesicular-arbuscular mycorrhiza 419-423
- Ericoid mycorrhizae 467-470
- Eriksson, O. E. see Kohlmeyer et al. 532-542
- Ertz, S. see Chamberlain et al. 846-856
- Ethylene
- fruiting of *Agaricus bisporus* 366-369
- Farr, D. F., and G. F. Bills. *Wojnowicia colluvium* sp. nov. isolated from conifer litter. 518-524
- Farrell, R. L. see Zimmerman et al. 857-863
- Feldman, J. see Spiegel et al. 265-270
- Fisher, P. J., F. Graf, L. E. Petrini, B. C. Sutton, and P. A. Wookey. Fungal endophytes of *Dryas octopetala* from a high arctic polar semidesert and from the Swiss Alps. 319-323
- Franco-Molano, A. E. Observation on *Rugospora Heinemannii* in the Neotropics. 574-578
- Frederiksen, R. A. see Thomas, M. D., and R. A. Frederiksen. 87-89
- Fukumasa-Nakai, Y. see Hibbett et al. 618-638
- Fungal biomass
- decayed wood 459-465
- Gams, W. see Palm et al. 397-406
- Garret, D. C. see Kester, A. S., and D. C. Garret. 153-160
- Gemma, J. N. see Koske, R. E., and J. N. Gemma. 678-683
- Genetic variability
- Discula destructiva* 490-500
- Germida, J. J. see Walley, F. L., and J. J. Germida. 273-279
- Gilbertson, R. L. see Ryvarden, L., and R. L. Gilbertson. 424
- Glenn, A. E. see White et al. 172-181
- Gonzalez, F. S. M. see Rogers et al. 41-45
- Graf, F. see Fisher et al. 319-323
- Grand, L. F. see Abad et al. 896-901
- Green, R. L. see Horn, B., and R. L. Green. 324-332
- Guarro, J. see Castaneda et al. 271-272
- Hajek, A. E., M. Shimazu, and R. A. Humber. Instability in pathogenicity of *Entomophaga maimaiga* after long-term cryopreservation. 483-489
- Hammer, S. Primary tissue and the structure of the podetium in *Cladonia*. 46-53
- Hanlin, R. T. [Review of] *Etiologia e iconografia de generos de hongos*. 429
- Hanlin, R. T. see Dugan et al. 713-718
- Harrington, T. C., and B. D. Wingfield. A PCR-based identification method for species of *Armillaria*. 280-288
- Hass, H. see Taylor et al. 560-573
- Heath, M. C., A. Li, P. A. Horgen, and P. L. Tam. Hyphal morphology associated with strain instability in the commercial mushroom, *Agaricus bisporus*. 442-450
- Hennon, P. E. see Adams et al. 909-921
- Herrer, T. see Ulloa, M., and T. Herrer. 429
- Heterokaryon formation
- Phellinus gilvus* 805-819
- Heterothallism
- Phellinus gilvus* 805-819
- Hibbett, D. S., Y. Fukumasa-Nakai, A. Tsuneda, and M. M. Donoghue. Phylogenetic diversity in shiitake inferred from nuclear ribosomal DNA sequences. 618-638
- Hiratsuka, Y. see Hutchison et al. 902-908
- Ho, Y. W., and D. J. S. Barr. Classification of anaerobic gut fungi from herbivores with emphasis on rumen fungi from Malaysia. 655-677
- Holmes, M. T. see Vadell et al. 551-559
- Horgen, P. A. see Heath et al. 442-450
- Horn, B., and R. L. Green. Vegetative compatibility within populations of *Aspergillus flavus*, *A. parasiticus*, and *A. tamarii* from a peanut field. 324-332
- Horner, H. T., L. H. Tiffany, and G. Knaphus. Oak-leaf litter rhizomorphs from Iowa and Texas: Calcium oxalate producers. 34-40
- Hosoya, T., and Y. Otani. *Gelatinipulvinella astraeicola* gen. et sp. nov., a fungicolous discomycete and its anamorph. 689-696
- Host specificity
- in *Zygorhizidium planktonicum* 161-170
- Host-parasite interactions
- Nectria* and *Punctelia* and *Flavoparmelia* 841-845
- Hseu, R.-S. see Moncalvo et al. 223-238
- Hughes, S. J. *Pauahia*, a genus of *Meliolaceae*. 703-707
- Humber, R. A. see Hajek et al. 483-489
- Hung, L.-L. see Wu et al. 582-587
- Hutchison, L. J., W. A. Unter-einer, and Y. Hiratsuka. *Knufia cryptophialidica* gen. et sp. nov., a dematiaceous hyphomycete isolated from black galls of trembling aspen (*Populus tremuloides*). 902-908
- Hyphal morphology
- Agaricus bisporus* 442-450
- Hypovirulence
- Leucocytophora* 431-441
- Iezzoni, A. F. see Surve-Iyer et al. 471-482
- Imanaka, T. see Murooka, Y., and T. Imanaka. 430
- Immunosuppressive activity
- suillin from *Suillus* 360-361
- Infection of *Zea mays* by *Fusarium* 510-517
- Ingram, D. S. see Chamberlain et al. 846-856
- Insect-fungus interactions
- Epichloe* and *Phorbia* 181-188
- Jacobson, D. J. Sexual dysfunction associated with outcrossing in *Neurospora tetrasperma*, a pseudohomothallic ascomycete. 604-617
- Jaffee, B. A., and A. E. Muldoon. Numerical responses of nematophagous fungi *Hirsutiella rossiiensis*, *Monacrosporium cionopagus*, and *M. ellipsosporum*. 643-649
- Jensen, C. J. P., and G. C. Adams. Nitrogen metabolism of *Leucostoma persoonii* and *L. cincta* in virulent and hypovirulent isolates. 864-875
- Jensen, C. J. P., R. F. Allison,

- and G. C. Adams. Purification and characterization of a virus-like particle of *Leucostoma persoonii*. 431-441
- Johnston, J. see Bultman et al. 182-189
- Jones, A. L. see Surve-Iyer et al. 471-482
- Jones, H. L., and J. J. Worrall. Fungal biomass in decayed wood. 459-466
- Ju, Y.-M., and J. D. Rogers. *Pa-reutypella* gen. nov. for two long-ostiolate pyrenomyces from Taiwan. 891-895
- Ju, Y.-M. see Rogers et al. 41-45
- Juba, J. H. see Nelson et al. 507-509
- Jülich, W. Ed. Color atlas of micromycetes; review 428
- Karyotypes
Pythium 333-353
- Kato, T. see Shirata et al. 360-361
- Keller H. W. [Review of] Color atlas of micromycetes. 428
- Keller H. W. [Review of] Myxomycetes: a handbook of slime molds. 424-425
- Kendrick, W. B. see Moutoglou et al. 419-423
- Kendrick, W. B. see Li, D.-W., and W. B. Kendrick. 190-195
- Kerp, H. see Taylor et al. 560-573
- Kester, A. S., and D. C. Garret. Morphometry and stereology of the conversion of thin-walled yeasts to phase I yeast cells in *Wangiella dermatitidis*. 153-160
- Key
anaerobic gut fungi 658, 660
- Gigaspora species 729
- Helicostylum and *Kirkia* spp. 257
- New Zealand species of *Podospora* 377-378
- Resupinate basidiomycetes 887
- Rugospora spp. 574
- Tulostomataceae in Baja California, Mexico 97, 99
- Wojnowicia spp. 523
- Kimbrough, J. W. Leland Shanon. 1914-1993. 745-748
- Klironomos, J. see Moutoglou et al. 419-423
- Klomprens, K. L. see Adams et al. 909-921
- Klomprens, K. L. see Edelman, R. E., and K. L. Klomprens. 302-318
- Knaphus, G. see Horner et al. 34-40
- Kohlmeyer, J., B. Volkman-Kohlmeyer, and O. E. Eriksson. Fungi on *Juncus roemerianus*. 4. New marine ascomycetes. 532-542
- Koske, R. E., and J. N. Gemma. *Scutellospora hawaiiensis*: A new species of arbuscular mycorrhizal fungus from Hawaii. 678-683
- Kurtzman, R. H., Jr. Cobalt chloride and ethylene affect fruiting of *Agaricus bisporus*. 366-369
- Lagopodi, A. L., and C. C. Thanassouloupoulos. Development of chlamydozoospores in *Alternaria alternata*. 588-591
- Lawrey, J. D. see Torzilli, A. P., and J. D. Lawrey. 841-845
- Lee, S. B. see Rusk et al. 140-143
- Lee, S.-H. see Liu et al. 651-654
- Lemke P. A. [Review of] Metal ions in fungi. 245-246
- Leuchtmann, A. see Rodrigues et al. 592-596
- Li, D.-W., and W. B. Kendrick. A year-round comparison of fungal spores in indoor and outdoor air. 190-195
- Li, A. see Heath et al. 442-450
- Liao, Y.-Y. see Liu et al. 651-654
- Liftik, M. E. see Pfister, D. H., and M. E. Liftik. 684-688
- Lio, Y.-S. see Wu et al. 582-587
- Liu, Y.-T., S.-H. Lee, and Y.-Y. Liao. Isolation of a melanolytic fungus and its hydrolytic activity on melanin. 651-654
- Longcore, J. E. Morphology and zoospore ultrastructure of *Entophlyctis luteolus* sp. nov. (Chytridiales): Implications for chytrid taxonomy. 25-33
- Lucas, L. T. see Abad et al. 896-901
- Mahoney, D. P. see Bell, A., and D. P. Mahoney. 375-396
- Mallett, K. I., and C. L. Myrholm. The mating system of *Phellinus tremulae*. 597-603
- Marasas, W. F. O. see Nelson et al. 543-546
- Martin, F. N. Electrophoretic karyotype polymorphisms in the genus *Pythium*. 333-353
- Martin, T. I. see White et al. 172-181
- Martinez-Peck, L. see Desjardin et al. 547-550
- Mating systems
Balsania obtecta 172-180
- Agaricales 1-17
- Phellinus gilvus* 805-819
- Phellinus tremulae* 597-602
- McLaughlin, D. J. see Berres et al. 821-840
- McWilliams, M. G. see Nelson et al. 639-642
- Measuring fungal biomass
wood decay 459-465
- Pythium* 333-353
- Melanin
Acrostaphylus 651-654
- inhibition of in *Gaeumannomyces* 370-374
- Melanolytic activity
Acrostaphylus 651-654
- Mendgen, K. see Bauer et al. 18-24
- Meristem
in podetium of *Cladonia* 46-53
- Microspectrophotometry
Phytophthora infestans DNA content 579-581
- Molecular identification
Armillaria 280-288
- Molecular phylogeny
auriculariaceous basidiomycetes 821-840
- entomophthoralean fungi 203-208
- Eurotiaceae 210-221
- Ganoderma* 223-238
- Penicillium* 210-221
- Trichocomaceae 210-221
- Molecular systematics
Lentinula 618-636
- Phialophora* 72-83
- Moncalvo, J.-M., H.-H. Wang, and R.-S. Hseu. Phylogenetic relationships in *Ganoderma* inferred from the internal transcribed spacers and 25S ribosomal DNA sequences. 223-238
- Moore, D., and F. W. Spiegel. A new technique for sampling protostelids. 414-418
- Moore, D. L. see Spiegel et al. 265-270
- Moreno, G., A. Altés, C. Ochoa, and J. E. Wright. Contribution to the study of the Tulostomataceae in Baja California, Mexico. I. 96-120
- Morphogenesis
effects of extracts of *Pyrenopeziza* on other fungi 846-855
- Morton, J. B. Taxonomic and phylogenetic divergence among five *Scutellospora* species based on comparative developmental sequences. 127-137
- Morton, J. B. see Bentivenga, S. P., and J. B. Morton. 719-731
- Moutoglou, P., J. Klironomos, P. Widden, and W. B. Kendrick. Direct observation of spores of vesicular-arbuscular mycorrhizal fungi growing on sugar maple roots in the field, using sodium hexametaphosphate as a soil dispersant. 419-423
- Mueller, G. M. Rolf Singer, 1906-1994. 144-147
- Muldoon, A. E. see Jaffee, B. A., and A. E. Muldoon. 643-649
- Murooka, Y., and T. Imanaka. Eds. Recombinant microbes for industrial and agricultural applications, bioprocess technology series 19; review 430
- Mycovirus
effect of nutrition in *Leucostoma* 864-873
- Mycovirus
Leucocytospora 431-441
- Myrholm, C. L. see Mallett, K. I., and C. L. Myrholm. 597-603
- Nelson, E. E., W. G. Thies, and M. G. McWilliams. *Trichoderma* spp. from roots of fumigated Douglas-fir trees infected with *Phellinus weirii*. 639-642
- Nelson, P. E., J. H. Juba, and C. A. Clark. An unusual strain of *Fusarium lateritium* affecting sweetpotato. 507-509
- Nelson, P. E., T. A. Toussoun, and W. F. O. Marasas. Neotypification and emendation description of *Fusarium anguoides*. 543-546
- Nirenberg, H. I. see Palm et al. 397-406
- Niwano, M. see Shirata et al. 360-361
- Norvell, L. L. see Redhead et al. 880-885
- Nutrition
variation between virulent and hypovirulent isolates in *Leucostoma* 864-873
- Nyval, R. F. Fungi associated

- with purple loosestrife (*Lythrum salicaria*) in Minnesota. 501-506
- Oberwinkler, F. see Bauer et al. 18-24
- Ochoa, C. see Moreno et al. 96-120
- Otani, Y. see Hosoya, T., and Y. Otani. 689-696
- Palm, M. E., W. Gams, and H. I. Nirenberg. *Plectosporium*, a new genus for *Fusarium tabacinum*, the synanamorph of *Plectosphaerella cucumerina*. 397-406
- Parasitism
by *Zygorhizidium planktonicum* 161-170
- Paul, J. A. see Banik et al. 707-712
- Peterson, R. H. There's more to a mushroom than meets the eye: Mating studies in the Agaricales. 1-17
- Petrini, L. E. see Fisher et al. 319-323
- Petrini, O. see Rodrigues et al. 592-596
- Pfister, D. H., and M. E. Liftik. Two *Arthrotrichy* anamorphs from *Orbilia auricolor*. 684-688
- Phillips, T. D. see Siegel et al. 196-202
- Podetia
structure and development in *Cladonia* 46-53
- Polymerase chain reaction primers
Slime molds 140-143
- Polymorphism
Wangiella dermatitidis 153-159
- Population genetics
Leucostoma 471-482
- Population regulation
nematophagous fungi 643-649
- Populations
Aspergillus in soil 324-330
- Porter, D. see Doggett, M. S., and D. Porter. 161-171
- Portrait
Petersen R. H. 2
Shanor L. 746
Sinden J. W. 742
Singer R. 145
Uecker F. A. 923
- Powell, W. A. Vegetative incompatibility and mycelial death of *Cryphonectria parasitica* detected with a pH indicator. 738-741
- Presidential address
Petersen R. H. 1-17
Prithiviraj, B., and U. P. Singh. A simple technique for studying the development of *Erysiphe pisi* in the epidermis of *Pisum sativum*. 138-139
- Protoplasmic incompatibility
Neurospora tetrasperma 604-617
- Rajchenberg, M. see Desjardin et al. 547-550
- Redhead, S. A., G. R. Walker, J. F. Ammirati, and L. L. Norvell. *Omphalina sensu lato* in North America 4: *O. rosella*. 880-885
- Reeves, F. B. see Al-Agely, A. K., and F. B. Reeves. 54-60
- Rentmeester, R. M. see Rizzo et al. 805-820
- Reproductive isolation
Neurospora tetrasperma 604-617
- Richardson, M. D., and C. W. Bacon. Catabolism of 6-methoxy-benzoxazolinone and 2-benzoxazolinone by *Fusarium moniliforme*. 510-517
- Ritch, D. L., and S. S. Daggett. Nuclear DNA content and chromosome number in German isolates of *Phytophthora infestans*. 579-581
- Rizzo, D. M., R. M. Rentmeester, and H. H. Burdsall, Jr. Sexuality and somatic incompatibility in *Phellinus gilvus*. 805-820
- Roberts, R. G. see Dugan et al. 713-718
- Rodrigues, K. F., O. Petrini, and A. Leuchtmann. Variability among isolated of *Xylaria cubensis* as determined by isozyme analysis and somatic incompatibility tests. 592-596
- Rogers, J. D. Francis A. Uecker, 1930-1955. 923-924
- Rogers, J. D., Y.-M. Ju, and F. S. M. Gonzalez. *Discoxyliaria myrmecophila* and its *Hypocreadendron* anamorphs. 41-45
- Rogers, J. D. see Ju, Y.-M., and J. D. Rogers. 891-895
- Rogers, S. O. see Yan et al. 72-83
- Root endophytes
Acremonium in *Festuca* 289-297
- Rumen fungi
655-675
- Rusk, S. A., F. W. Spiegel, and S. B. Lee. Design of polymerase chain reaction primers for amplifying nuclear ribosomal DNA from slime molds. 140-143
- Ryvarden, L., and R. L. Gilbertson. European Polypores, Part 1 and Part 2; review 424
- Sampling
protostelids 414-418
- Samson, R. A. see Seifert et al. 407-413
- Sand dune ecology
mycorrhizae 54-60
- Santamaria, S. A new genetic arrangement for two species formerly described in *Laiboulbenia*. 688-701
- Schardl, C. L. see Siegel et al. 196-202
- Schisler, L. James W. Sinden, 1902-1994. 742-744
- Scytalone
effects on perithecial development in *Ophiostoma* 857-863
- Seasonal periodicity
airborne fungi 190-195
- Secondary homothallism
Neurospora tetrasperma 604-617
- Seifert, K. A., R. A. Samson, and I. H. Chapela. *Escovopsis aspergilloides*, a rediscovered hyphomycete from leaf-cutting ant nests. 407-413
- Sexual reproduction
effects of extracts of *Pyrenopeziza* on other fungi 846-855
- Sexual system
Balansia obtecta 172-180
- Sharp, L. T. see White et al. 172-181
- Shearer, C. A., and J. L. Crane. *Boerlagiomyces websteri*, a new ascomycete from fresh water. 876-879
- Shew, H. D. see Abad et al. 896-901
- Shimazu, M. see Hajek et al. 483-489
- Shirata, K., T. Kato, and M. Niwano. Selective suppression of the mitogenic response of murine lymphocytes by suillin from *Suillus bovinus*. 360-361
- Siegel, M. R., C. L. Schardl, and T. D. Phillips. Incidence and compatibility of non-clavicipitaceous fungal endophytes in *Festuca* and *Lolium* grass species. 196-202
- Singh, U. P. see Prithiviraj, B., and U. P. Singh. 138-139
- Soil populations
Aspergillus 324-330
- Somatic incompatibility
Xylaria cubensis 592-595
- Soredia
dispersal by mites 454-458
- Spiegel, F. W., D. L. Moore, and J. Feldman. *Tychosporium acutostipes*, a new protostelid which modifies the concept of the *Protosteliaceae*. 265-270
- Spiegel, F. W. see Moore, D., and F. W. Spiegel. 414-418
- Spiegel, F. W. see Rusk et al. 140-143
- Spore dispersal
Epichloe 181-188
- Spore germination
Thermoascus 362-365
- Sporulation
effects of extracts of *Pyrenopeziza* on other fungi 846-855
- Stempen, H. see Stephenson, S. L., and H. Stempen. 424-425
- Stephenson, S. L., and H. Stempen. *Myxomycetes*: a handbook of slime molds; review 424-425
- Strain instability
Agaricus bisporus 442-450
- Stubbs, C. S. Dispersal of soredia by the oribatid mite, *Humerobates arborea*. 454-458
- Sugiyama, J. see Berbee et al. 210-222
- Suillin
immunosuppressive compound in *Suillus* 360-361
- Surve-Iyer, R. S., G. C. Adams, A. F. Iezzoni, and A. L. Jones. Isozyme detection and variation in *Leucostoma* species from *Prunus* and *Malus*. 471-482
- Sutton, B. C. see Fisher et al. 319-323
- Szabo, L. J. see Berres et al. 821-840
- Tam, P. L. see Heath et al. 442-450
- Tansey M. R. [Review of] *The fungi*. 426-427
- Taylor, J. W. see Berbee et al. 210-222
- Taylor, T. N., H. Hass, and H. Kerp. Fossil arbuscular mycorrhizae from the Early Devonian. 560-573
- Tetrazolium bromide

- vital stain for vesicular-arbuscular mycorrhizae 273-279
- Tetrazolium chloride
vital stain for vesicular-arbuscular mycorrhizae 273-279
- Thanassouloupoulos, C. C. see Lagopodi, A. L., and C. C. Thanassouloupoulos. 588-591
- Thies, W. G. see Nelson et al. 639-642
- Thomas, M. D., and R. A. Frederiksen. Dynamics of oval and falcate conidium production of *Colletotrichum graminicola* from sorghum. 87-89
- Tiffany, L. H. see Horner et al. 34-40
- Torzilli, A. P., and J. D. Lawrey. Lichen metabolites inhibit cell wall-degrading enzymes produced by the lichen parasite *Nectria parmeliae*. 841-845
- Toussoun, T. A. see Nelson et al. 543-546
- Trigiano, R. N., G. Caetano-Anolles, B. J. Bassam, and M. T. Windham. DNA amplification fingerprinting provided evidence that *Discula destructiva*, the cause of dogwood anthracnose in North America is an introduced pathogen. 490-500
- Tsuneda, A. see Hibbett et al. 618-638
- Ulloa, M., and T. Herrero. Etimología e iconografía de géneros de hongos; review 429
- Untereiner, W. A. see Hutchinson et al. 902-908
- Vadell, E. M., M. T. Holmes, and J. C. Cavender. *Dictyostelium citrinum*, *D. medusoides* and *D. granulophorum*: three new members of the Dictyosteliaceae from forest soils of Tikal, Guatemala. 551-559
- Van Wyk, P. S. see Benade et al. 298-303
- Vegetative compatibility
Aspergillus 324-330
- Vegetative incompatibility
Cryphonectria parasitica 738-740
- Vesicular-arbuscular mycorrhiza direct observation 419-423
- sand dunes 54-60
- Vital stains
tetrazolium bromide and tetrazolium chloride with vesicular-arbuscular mycorrhizae 273-279
- Volk, T. J. [Review of] European Polypores, Part 1 and Part 2. 424
- Volkman-Kohlmeier, B. see Kohlmeier et al. 532-542
- Walker, G. R. see Redhead et al. 880-885
- Wall-degrading polysaccharidases
Nectria parmeliae 841-845
- Walley, F. L., and J. J. Germda. Estimating the viability of vesicular-arbuscular mycorrhizae fungal spores using tetrazolium salts as vital stains. 273-279
- Wang, C. J. K. see Yan et al. 72-83
- Wang, H.-H. see Moncalvo et al. 223-238
- Watkins, S. C. see Carlile, M. J., and S. C. Watkins. 426-427
- Weber, N. S. Western American Pezizales. *Selenaspora guenaisii*, new to North America. 90-94
- Welch, A. M. see Bultman et al. 182-189
- Welty, R. E. see Azevedo, M. D., and R. E. Welty. 289-297
- White, J. F., Jr. L. T. Sharp, T. I. Martin, and A. E. Glenn. Endophyte-host associations in grasses. XXI. Studies on the structure and development of *Balanisia obtecta*. 172-181
- White, J. F., Jr. see Bultman et al. 182-189
- Widden, P. see Moutoglou et al. 419-423
- Windham, M. T. see Trigiano et al. 490-500
- Winge, D. R. see Winkelmann, G., and D. R. Winge. 245-246
- Wingfield, B. D. see Harrington, T. C., and B. D. Wingfield. 280-288
- Wingfield, M. J. see Benade et al. 298-303
- Winkelmann, G., and D. R. Winge. Metal ions in fungi; review 245-246
- Wood decay
measuring fungal biomass 459-465
- Wookey, P. A. see Fisher et al. 319-323
- Worrall, J. J. see Jones, H. L., and J. J. Worrall. 459-466
- Wright, J. E. see Moreno et al. 96-120
- Wu, C.-G., Y.-S. Lio, and L.-L. Hung. Spore development of *Entrophospora kentinensis* in an aeroponic system. 582-587
- Yan, Z. H., S. O. Rogers, and C. J. K. Wang. Assessment of *Phialophora* species based on ribosomal DNA internal transcribed spacers and morphology. 72-83
- Yoshimura, A. see Berbee et al. 210-222
- Zeller, K. A. Phylogenetic relatedness within the genus *Erysiphe* estimated with morphological characteristics. 525-531
- Zimmerman, W. C., R. A. Blanchette, T. A. Burnes, and R. L. Farrell. Melanin and perithecial development in *Ophiostoma piliiferum*. 857-863
- Zoberi, M. H. *Metarhizium anisopliae*, a fungal pathogen of *Reticulitermes flavipes* (Isoptera: Rhinotermitidae). 354-359

FUNGUS TAXA INDEX

The names of new taxa and the pages on which they are published are in boldface. Illustrations are indicated by the letter following the page number on which the figure(s) occur.

- Acanthobasidium* 887
- Acanthophysium* 887
- Acanthostigmella* 715
- Acaulospora* 55, 582, 585f, 586, 719
- bireticulata* 735
- elegans* 735
- scrobiculata* 584f, 586
- Achlya*
- bisexualis* 350
- Acrasis*
- rosea* 142
- Acremonium* 172-180, 196, 209, 298-299, 302, 402-404
- sect. *Albo-lanosa* 172
- sect. *Nectrioides* 402, 404
- coenophialum* 289-296, 294f
- sp. 320, 322
- Acrotyphylus*
- sp. 651-654, 653f
- Agaricostilbum* 22
- pulcherrimum* 822-837
- Agaricus* 13, 438
- bisporus* 335, 348, 366-369, 431, 438, 442-450, 445-448f, 618, 635, 854
- bitorquis* 480
- Agrocybe* 438
- Ajellomyces*
- capsulatus* 211-221
- dermatitidis* 211-221
- Aleuria* 755
- Aleurobotrys* 887
- Aleurodiscus* 887
- Allochytridium* 32
- expandens* 29, 31
- Allomyces* 28
- Alternaria* 190-195
- alternata* 320, 504-505, 588-591, 589-590f
- brassicae* 588
- bursnii* 588
- carthami* 588
- chlamydospora* 588
- kikuchiana* 588
- longissima* 588
- phragmospora* 588
- porri* f. sp. *solani* 588
- raphani* 588
- solani* 588
- tenuissima* 588
- Amanita*
- muscaria* 822-837
- Amaurochaete*
- comata* 780
- Amauroderma* 223-224, 236
- rude* var. *intermedium* 225-237
- Amazonia* 704
- Amphisphaeria* 532, 540
- Amylofungus* 886, 887
- corrosus* 887, 888f, 888
- Amylonotus* 887
- Amylostereum* 890
- sacratum* 889
- Anaeromyces* 655, 658, 664
- elegans* 655, 658, 664, 666f
- mucronatus* 655, 658, 664
- Anguillospora* 684
- Aniptodera*
- juncicola* 540
- Anixiella*

- endodonta 398
 Anthostomella
 phaeosticta 320-321
 Anthracophyllum 13
 archeri 13
 lateritium 11, 13
 Antromycopsis 14
 Aphanomyces
 euteiches 170
 Apiosporina
 morbosa 454
 Apodachlya
 pyrifer 170
 Appendiculella 704-705
 Apterostigma
 spp. 413
 Arcyria
 cinerea 780
 denudata 780
 elaterensis 780
 nutans 140-142
 Armillaria 224, 280-287
 borealis 282-287
 calvescens 282-287, 707-711
 cepistipes 282-287
 gallica 282-287, 707-711
 gemina 282-287
 mellea 282-287, 707-711
 ostoyae 282-287, 707-711
 sinapina 282-287, 707-711
 tabescens 282-287
 Aropsiclus
 junci 540
 Arthrotrichum 684
 cladodes var. macroides 684,
 686, 685f, 687f
 dactyloides 644
 oligospora 644
 oligospora var. oligospora
 684, 686, 685f, 687f
 Articulospora
 sp. 320, 322
 Ascobolaceae 848-849, 850,
 852f
 Ascobolus 755
 guernisacii 91
 immersus 615
 Ascochyta 796
 rabiei 795
 Ascodesmis
 nigricans 753
 Ascopanus 94
 guernisacii 91
 Ascosphaera
 apis 211-221
 Aspergillus 190-195, 325, 407,
 870
 sect. Flavi 324-326, 329
 amstelodami 848, 850, 854
 flavus 324-330, 787-793
 fumigatus 211-221
 nidulans 792, 848-851, 853-
 854
 niger 793, 848-849
 parasiticus 324-330
 repens 848-849
 tamarii 324-330
 Asteridiella 704-705
 styracicola 706
 Asteroma
 sp. 320-321
 Asterostroma 887
 Astraeus
 hygroscopicus 692
 Athelia
 bombacina 204-207
 Atractiella 22
 Atractogloea 22, 909, 919
 stillata 22
 Aureobasidium
 pullulans 320-321
 Aureohyphozyma 690, 694
 astraeicola 689, 690, 693-
 695f, 695
 Auricularia
 auricula-judae 822-837
 Backusella
 circina 254, 256, 262
 Badhamia
 affinia 780, 782
 foliicola 780, 782
 gracilis 780, 782
 obovata 782
 rhytidosperra 780
 semiannulata 780, 782
 spiniisporum 780
 utricularis 780, 782
 Baeospora
 myosura 14
 myriadophylla 14
 Balansia
 aristidae 180
 claviceps 180
 discoidea 180
 epichloe 180
 henningsiana 180
 obtecta 172-180, 174f, 176-
 179f
 strangulans 180
 subnodosa 180
 Basidiobolus
 ranarum 203-207
 Battarraea 96
 diguettii 99, 102
 phalloides 99
 stevenii 97, 99-100, 100f
 Battarraeastrum
 diguettii 99, 102
 Battarraeoides 96
 diguettii 97, 99, 102, 101f
 potosinus 99, 102
 Benjaminiella 263
 Bipolaris
 maydis 871
 sorokiniana 504
 Bjerkandera
 adusta 459, 461-462
 Blasticomyces 697
 Blastocladias 655
 Blastocladia
 emersonii 203-207
 Blumeria 525
 graminis 526-530
 Boerlagella 878-879
 argentinensis 879
 effusa 879
 laxus 879
 velutinus 878-879
 Boerlagiomyces 876, 878-879
 macrosporus 879
 websteri 876, 877-878f, 879
 Boidinia 886-887
 Boletus
 rubinellus 822-837
 Botryandromyces 697
 Botrytis
 cinerea 504-505, 768
 Brasiliomyces 525
 trina 526-531
 Bremia
 lactuca 330, 346, 350, 854
 Bulbothamnium 257
 Byssoclathra
 nivea 211-221
 Cadophora 72
 fastigiata 72
 Caecomyces 655-656, 658, 671
 communis 655-656, 657f,
 658, 659f, 660, 671-672,
 674, 675f
 equi 655, 660, 671
 Cainiella
 johansonii 320-321
 Callimastix
 cyclopsis 655
 frontalis 655, 660
 Callorhynchus
 gelatinosa 692, 691f
 Calomyxa
 metallica 780
 Calosphaeria 894
 pulchella 894
 Candida
 albicans 335, 346, 348, 822-
 837
 glabrata 348
 parapsilosis 348
 sp. 504
 Capnobotryella 902, 905
 renispora 905-906
 sessilispora 906
 Capnobotrys 902, 906
 neesi 907
 Capnophialophora 906-907
 Capronia 715
 hystricoides 713, 714f
 Catenomyces
 rosea 245
 Catenularia
 sp. 504
 Cenococcum
 geophilum 82
 Cephalodiplosporium 403
 elegans 403
 Cephalosporiopsis 403
 alpina 403
 imperfecta 399
 Cephalosporium
 ciferrii 399, 401
 curtipes 399
 tabacinum 397, 399, 402-403
 Ceratiomyxella
 tahitiensis 268
 Ceratocystis 85, 298
 ranaculosus 84-86
 Ceratocystis 298, 302
 minor 84-85
 minor var. barrasii 84
 nigrocarpa 84
 Cercophora
 conica 379, 383-385
 mirabilis 377, 383
 Chaenothecopsis 245, 250-251
 asperopoda 249, 251
 consociata 248-249, 251
 debilis 245-251, 246-248f
 fennica 245, 249, 251
 haematopus 245, 249, 251
 nana 249, 251
 ochroleuca 249, 251
 pusilla 248-249, 251
 pusiola 248-249, 251
 rubescens 249, 251
 sagenidii 249, 251
 savonica 245, 248-251
 schefflerae 245, 249, 251
 tasmanica 248-249, 251
 vainioana 249, 251
 viridialba 249, 251
 viridireagens 245, 248-251
 Chaetocladium 263
 jonesii 261
 Chaetomium
 globosum 848, 851
 rectopilum 364
 thermophile var. coprophile
 362, 364-365
 virginicum 362, 364
 Chaetostylum 253, 257
 fresenii 260, 262
 venustellum 259
 Chalara 298
 Characoderma 223, 236
 Cheilymenia 755
 Chlamydomonas 96
 meyenianus 97, 102, 103f
 Choioactis
 geaster 94
 Christiansenia 910, 919
 Chromelosporium
 carneum 504
 Chromocrea
 spinulosa 848-849, 851, 853,
 852f
 Chrysohyphozyma
 astraeicola 696
 Chytridium 29, 32, 203
 confervae 31, 204-207
 Chytridiomycetes 32
 Circinella
 muscae 263
 umbellata 263
 Cladochytrium 31-32
 Cladonia 46-52

- asahinae 48f, 49–50, 52
 chlorophaea 142
 dimorpha 49–50, 52
 furcata 47f, 49–50, 52
 merochlorophaea 47–48f, 49
 multiformis 49, 52
 phyliophora 49, 52
 rei 48f, 49–50, 52
 singularis 47f, 49–50, 52
 squamosa 49
 subulata 48f, 49
 sulphurina 48f, 49–50
 transcensina 49, 52
 Cladosporium 190–195, 391,
 713, 715
 herbarum 320–321
 malorum 715f, 717
 porophorum 717
 Cladoderma
 debaryanum 780
 Claviceps 180
 spp. 179–180
 Clavulinopsis 14
 Clitocybe
 rosella 880
 Clypeopycnis
 sp. 320, 322
 Coccidioides
 immitis 211–221
 Cochliobolus
 heterostrophus 767–768
 Coelomomyces
 spp. 31
 Colacogloea
 peniophorae 22
 Colletotrichum 402–403
 acutatum 398, 402–403
 crassipes 320, 403
 dematium 320–321
 gloeosporioides 403, 768–769
 graminicola 87–88, 497
 lindemuthianum 768–769
 musae 403
 sp. 504
 spp. 373
 truncatum 320, 322
 Collybia 619
 Comatricha
 laxa 780
 lurida 780, 783
 nodulifera 780, 783
 orthotricha 780
 suksdorfii 780
 typhoides 780, 783
 Conferticum 886–887
 Conidiobolus
 coronatus 203–207
 Coniochaeta
 discospora 321
 Coniothyrium
 olivaceum 504–505
 Coprinus 11, 190–195, 805
 cinereus 818–819
 domesticus 848–849
 kimurae 848, 851
 patouillardii 817–818
 radiatus 848–849
 Corallomyces 41
 jatrophae 41
 Corticium
 corrosum 886–887
 Corynespora 272
 occidentalis 272
 salasiae 271, 271f
 Corynesporella 272
 Corynesporopsis 272
 Craterocolla 918
 Crumenulopsis
 soraria 480
 Cryphonectria 438
 parasitica 330, 438, 738–740,
 872
 Cryptococcus
 neoformans 822–837
 spp. 909, 919
 Cryptomycocolax 22
 Cryptosporiopsis
 sp. 321
 spp. 321
 Culcitalna
 sp. 504
 Cunninghamella 315
 Curvularia
 sp. 504
 Cystofilobasidium 919
 Cytospora
 cincta 480
 Dactylella 684
 Dentipellis 887
 Desmazieella
 acicola 749
 Dextrinocystidia 887, 888, 890
 sacra 889, 889f, 890
 Diachea
 splendens 780
 Diaphanoeca
 grandis 204–207
 Diaporthe
 phaseolorum 923
 sp. 504
 Dichostereum 887
 Dichotomocladium 263
 Dicranidion 684
 Dictyocephalos 96
 Dictyostelium 141
 aureo-stipes 551, 558
 aureum var. aureum 558
 citrinum 551, 552, 552f, 553,
 555–556f, 555–559,
 discoideum 140–142, 551,
 555, 558, 784
 granulophorum 551, 554–
 556, 554–556f, 557, 558–
 559
 medusoides 551, 553, 553f,
 555, 555–556f, 556–559
 mexicanum 551, 558
 Dictyotrichiella 713
 Diderma
 effusum 780
 hemispermicum 780
 Didymella 801
 bryoniae 803
 effusa 780
 ligulicola 803
 pinodes 803
 rabiei 795–803, 800–801f
 Didymium
 annellus 780
 annulisporum 780, 782
 atrichum 780, 782
 circumcissile 780
 clavodecus 780
 difforme 779–782
 dubium 779–782
 ermophilum 780
 iridis 779–782, 784–785
 karstenii 780
 laxifila 782
 minus 779–780, 783
 nigripes 780, 782, 784
 nullifilum 780
 ovoideum 780, 782
 saturnas 780, 782
 squamulosum 779–780, 783
 trachysporum 780
 Diplochytridium 32
 Diplophyctis 32
 Discina 755
 Discosia
 aquatica 504
 Discosylaria 41–43, 42
 myrmecophila 41–45, 42, 43–
 44f
 Discula
 destructiva 490–499
 umbrinella 497, 595
 Ditangifibulae 911
 dikaryotae 909, 912, 912–
 918f, 913–919
 Ditangium 918
 Dixomyces 697
 Drechmeria
 coniospora 643
 Echinomyces
 echidna 894
 Echinostelium
 arboreum 780
 bisporum 780
 coelocephalum 780, 782
 corynophorum 780
 cribrarioides 780
 lunatum 780, 782
 minutum 780, 782
 Elfvingia 223–224, 229, 236
 Emericellopsis 402
 Endochytrium 29
 Endogone
 pisiformis 729
 Endomeliola 705–706
 dingleyae 705
 Enteridium
 lycoperdon 780
 Entomophaga
 maimaiga 483–488
 Entomophthora
 muscae 203–207
 Entophlyctis 25, 32
 bulligera 29
 confervae-glomeratae 29
 helioformis 29
 luteolus 25–32, 26–27f, 27,
 30f
 rhizina 29
 Entorrhiza
 casparyana 22
 Entrophospora 582, 585f, 586
 kentinnensis 582–586, 583–
 584f
 sp. 735
 Eocronartium
 muscicola 822–837
 Ephelis 180
 Epichloe 172–180, 196, 480
 amarillans 184
 baconii 184
 typhina 182–188, 185–186f,
 188f
 Epicoccum 190–195
 nigrum 320, 504
 Eremascus
 albus 211–221
 Eriospore
 sp. 320–321
 Erysiphe 525
 sect. Erysiphe 525–531
 sect. Galeopsidis 525–531
 sect. Golvinomyces 525–531
 biocellata 526–530
 cichoracearum 525
 cichoracearum var. cichora-
 cearum 526–531
 galeopsidis 526–530
 graminis f. sp. hordei 768
 howeana 526–530
 magnicellulata var. magnicel-
 lulata 526–530
 pisi 138, 139f
 polygona 526–531
 sordida 526–530
 verbenae 526–530
 Escovopsis
 aspergilloides 407–413, 408,
 408–411f
 weberi 407, 408f, 410–411f,
 412–413
 Eupenicillium
 javanicum 210–221
 shearii 848, 850
 Eurotium
 rubrum 211–221
 Eutypella 895
 gliricidia 895
 scoparia 895
 Exobasidium
 camelliae 22
 vaccinii 22
 Exophiala 694
 Fennellomyces
 heterothallicus 254, 256–257
 Fibulobasidium 919
 Fibulocera 919
 Flammula 14
 velutipes 848–849, 851, 854

- Flavoparmelia*
 baltimorensis 841-845
 caperata 456
Fomitopsis
 rosea 225-237
Fuligo
 cinerea 780, 782
 septica 142, 779-780, 782-783
Fusarium 41, 235, 397, 870
 sect. *Arachnites* 402
 sect. *Arthrosporiella* 545
 sect. *Gibbosum* 507-509
 sect. *Liseola* 68-70, 507-509
 acuminatum 545
 anguioides 543-545, 544f
 anguioides var. *caudatum* 543
 anthophilum 504
 avenaceum 504
 camptoceras 545
 culmorum 848, 850
 gramineum 504-505
 lateritium 320-321, 507-509, 508f
 moniliforme 68, 70, 510-516
 oxysporum 504
 oxysporum f. sp. *cubense* 349
 polyphialidicum 545
 proliferatum 68, 70-71, 507-509
 sambucinum 822-837
 scirpi 507, 509
 semitectum 504, 545
 sporotrichioides 504
 spp. 68-70, 854
 subglutinans 68, 71, 507-509
 tabacinum 397-399, 403
 trinctum 504
Fusidium
 sp. 504
Gaeumannomyces
 graminis 370
 graminis var. *avenae* 370-373
 graminis var. *graminis* 370-373
 graminis var. *tritici* 370-373
 incrustans 370-373
 medullaris 532, 540, 541f, 542
Ganoderma 190-195, 223-237
 adpersum 225-237
 applanatum 224
 australe 225-237
 boninense 225-237
 formosanum 225-237
 gibbosum 225-237
 lobatum 225-237
 lucidum 223-237
 microsporum 225-237
 oerstedii 225-237
 peifferi 225-237
 resinaceum 225-237
 subamboinense var. *laevisporum* 225-237
 tornatum 223
 tsugae 223-237, 822-837
 tsunodae 224
 valesiacum 235
 weberianum 225-237
Gelasinospora 376
 inversa 848-849, 851, 852f
Gelatinipulvinella 690, 692
 astraicola 689, 690, 692, 691f, 693f, 694, 695f
Gelatinopsis 692
 geoglossi 692, 691f
 tryblidariae 695
Geotrichum
 sp. 504
Gerlachia
 nivalis 848-850
Gerronema 884
 rosellum 880
Gibberella
 fujikuroi 68, 70, 510-516
 fujikuroi var. *fujikuroi* 68
 fujikuroi var. *moniliformis* 68, 68
 zeae 871
Gigaspora 55, 127, 134-135, 422, 570, 682, 719, 721, 726-727, 729-730
 albida 720-721, 722f, 724-725, 727-728
 candida 721, 727-728
 decipiens 720-721, 722-723f, 724-728
 gigantea 720-721, 722-723f, 724-726, 729, 772-776
 margarita 582, 720-721, 722-723f, 725-728, 775
 ramisporophora 721, 726-727
 rosea 135, 720-721, 722-723f, 725-728
 sp. 728
 tuberculata 728
Gilbertella
 persicaria 315-316
Gliocladium 196-201
Gloeocystidiellum 886-888, 890
 corrosus 887
 sacratum 889
Gloeodontia 887
Gloeophyllum
 trabeum 459, 461-462
Gloiocephala
 aquatica 547, 548f, 549
 menieri 549
Gloiothle 887
Glomales 719
Glomerella 403
 cingulata 320-321, 397-398
Glomites 560, 561, 563, 566, 568, 570-571
 rhyniensis 561, 564-565f, 567f, 569f
Glomus 55, 568, 570-571, 582, 732, 729
 aggregatum 419-422, 420f, 735
 antarctica 452
 clarum 273-278, 735
 constrictum 735
 corymbiforme 732, 734-735f, 734-736
 etunicatum 204-207, 422, 451-452, 775
 fasciculatum 57, 422, 735-736
 globiferum 736
 hoi 419-422, 420f
 intraradices 422, 451-452, 582, 735, 775
 invermaium 422
 macrocarpum 419-422, 420f, 735
 maculosum 736
 mortonii 736
 mosseae 273-278, 422, 736
 pubescens 736
 pustulatum 735-736
 rubiforme 419-422, 420f
 sinuosa 736
 tortuosum 736
Graphilbum 299
Graphium 298-299, 302
Graphostroma 894
Grossmannia 299
Guignardia 759
 bidwellii 759
Gymnascella
 dankaliensis 468
Gyromitra
 esculenta 755
Haddowia 224, 236
Hainesia
 lythri 504
Halosarpheia 532, 536
 culmiperda 532, 533-534f, 536-537, 540
 viscosa 532, 536
Halosphaeria
 hamata 537
 mediosetigera 542
Hamigera 220
Hansenula
 wingei 64-65, 335
Harpographium 894
 fasciculatum 894
Harzia 412
Haynaldia 257
Helicobasidium
 mompa 822-837
Helicogloea
 variabilis 822-837
Helicostylum 253, 255, 257, 260, 262
 cordense 253, 261-262
 cyaneum 263
 elegans 253-254, 256-259, 258-259f, 261-263
 fresenii 263
 glomeratum 263
 intermedium 263
 lucknowense 263
 moreliae 263
 muscae 263
 nigricans 263
 pirelloides 263
 piriforme 263
 pulchrum 253, 256, 260, 262-263, 259-260f
 repens 263
 saccardoi 263
 venustellum 253-254, 256, 259-260, 262
Helminthosporium 272
 maydis 437
 turcicum 511
Helvella 755
Hemicorynespora 272
Herpotrichiella 713
Heterobasidium
 annosum 819
Heterogastrium 22
Hirsutella
 rhossiliensis 643-649
Hohenbuehelia 13
Horodendrum
 cladosporioides 854
Humaria 94
 guernisacii 91
Humphreya 224, 236
Hyalodendron 298
Hyalorhinocladia 298-299, 302
Hymenoscyphus 467
 ericae 467-469
Hypozyma 689, 694
 lignicola 907
 variabilis var. *variabilis* 690
Hypocreadendron 41, 42
 sanguineum 41, 42, 45, 43-44f
Hypsizygus
 tessellatus 13
Inonotus 805, 818
Irenopsis 704
Kirkia 253-254, 261, 262, 922
 cordense 254, 256-257, 261, 262f, 922
Kirkomyces 922
 cordense 922
Knufia 903
 cryptophialidica 902-907, 903, 903-904f
Kriegeria
 eriophori 22
Kyphomyces 697
Laboulbenia 697, 701
 speluncae 697
Laccaria 147
Lacustrumyces
 hiemalis 31
Lamproderma
 scintillans 780
Lamprospora 90
Lasiobolus 757
Lasiochaeria
 ellisii 321-322
Laxitextum 887
Lentinula 618-636

- boryana 618-636
 edodes 239-243, 618-636
 guarapiensis 619
 lateritia 618-636
 novaezelandiae 618-636
 Lentinus 7, 224, 619
 edodes 854
 Lepidoderma
 caresteum 780, 782
 Lepiota
 epicharis var. occidentalis
 574-575
 ochraceobadia 574-575
 pseudorubiginosa 575
 rubro-squamosa 575
 Lepraria
 finkii 456
 lobificans 454, 456-457
 Leptodiscella
 africana 717
 Leptographium 298-299, 302
 Leptosphaeria 190-195
 lythri 504
 oraemaris 537
 Leucoagaricus
 gongylophorus 412
 rubrosquamosus 574-575
 Leucocytophora 471
 cincta 471
 kunzei 330
 leucostoma 471-481
 Leucostoma
 cincta 471-481, 478f, 864-
 873, 910, 917
 persoonii 431-439, 434f,
 471-481, 478f, 864-873
 Libertella 895
 Licea
 alexopouli 780
 biforis 780, 782
 fimicola 780
 variabilis 780
 Lyophyllum 224
 decastes 236
 Magnaporthe
 grisea 768
 salvinii 480
 Magoderna 224
 Marasmiellus 884
 rosellus 880
 Marasmius 4, 10
 sect. Epiphylli 549
 androsaceus 10, 15
 cornelii 549
 menieri 549
 pallidocephalus 7
 rotula 10
 scorodoni 9-10
 siccus 4-5
 spp. 854
 Massarina
 eburnea 538
 ricifera 532, 535-536f, 537,
 538
 Megalocystidium 887
 Melampsora 438
 lini 822-837
 Melanospora 412
 Melanotus 14
 Melasmia
 sp. 320
 Meliola 704
 floridensis 705
 hexaseptata 706
 Meliolinae 704
 Metarhizium
 anisopliae var. anisopliae
 354-358
 Metatrachia
 vesparium 780
 Microdiscula
 sp. 320
 Microdochium 397
 nivale 511
 tabacinum 399
 Micronectriella 402
 cucumeris 399
 Micropylis 692
 geoglossi 692
 triblidariae 689, 695
 Microsphaera 525
 abbreviata 526-530
 syringae 526-530
 trifolii var. trifolii 526-531
 Misgomyces 697, 701
 dyschirii 697, 700f, 701
 mastacis 697, 701
 reicheiae 697, 699f, 701
 speluncae 697, 700f, 701
 stomonaxi 697
 Monacrosporium 684
 cionopagum 643-649
 ellipsosporum 643-649
 psychrophilum 684, 686
 spp. 647
 Monascus
 purpureus 211-221
 Monoblepharella 32
 Monographella 402, 849
 cucumerina 399
 Mrakia 919
 Mucilago
 crustacea 780
 Mucor 203, 208, 253, 314
 helicostylus 263
 hiemalis 315
 mucedo 254, 256-257, 314-
 315
 racemosus 203-207, 822-837
 Mycena 11, 884
 carnicolor 881
 epipterygia 11
 fibula 884
 galopus 602
 Mycocalicium 245, 248, 250-
 251
 albonigrum 245, 249-251
 americanum 249, 251
 subtile 245, 249-251
 victoriae 249, 251
 Mycolachnea 755
 Mycosphaerella 121-125
 cryptica 122
 gracilis 121, 123, 124f, 125
 molleriana 125
 parkii 121, 124f
 rabiei 796
 Mycotypha 263, 315
 africana 315
 Myxotrichum
 setosum 468
 Nectria 41
 galligena 848
 haematococca 402
 parmeliae 841-845
 septomyxa 399
 Nematostelium 268
 gracile 415-418
 ovatum 415-418
 Neocallimastigaceae 655, 660
 Neocallimastigales 660
 Neocallimastix 203, 655-656,
 658, 660-661, 665
 frontalis 655-656, 657f, 658,
 659f, 662f, 660-661
 hurleyensis 655, 658, 661
 joyonii 661
 patriciarum 655, 660-661
 sp. 203-207
 variabilis 655, 660-661
 Neosartorya
 fischeri 210-221
 Neottiella 90
 Neourula
 pouchetii 94
 Neovossia
 indica 61, 63
 Neurospora 376, 480, 870
 crassa 140, 211-221, 347,
 615-616, 848-849, 851,
 854, 852f, 871
 intermedia 615
 sitophila 615
 tetrasperma 604-616, 612f
 Nowakowskiella 31-32
 Ochromonas
 danica 140
 Ohleriella
 neomexicana 717
 Oidiodendron
 cerealis 468
 chlamydosporicum 468
 citrinum 468
 flavum 468-469
 griseum 467-469
 maius 468-469
 periconioides 467-468
 rhodogenum 468
 scytaloides 468
 Oligoporus
 placentus 459, 461-465
 Olpitichum 412
 Ommatomyces 532, 538
 coronatus 532, 537f, 539f,
 538, 540
 Omphalia
 rosella 880
 Omphalina 884
 demissa 885
 hohensis 884
 lilaceorosea 885
 lilacinicolor 884
 marchantiae 884
 postii 884
 pyxidata 884
 rosella var. rosella 880, 882f,
 883-885
 rosella var. vinacea 881, 881-
 882f, 885
 sphagnicola 884
 Omphalotus 13
 illudens 13
 mexicana 13
 Ophiobolus
 niesslii 504
 Ophiostoma 85, 298-299
 ips 298-302, 299-302f
 minus 84-85
 nigrocarpum 84
 piliferum 857-862, 859-860f
 ulmi 872
 Orbilia 684
 auricolor 684, 686
 curvatispora 684
 fimicola 684
 Ormomyces 697
 Orpinomyces 655, 658, 661
 bovis 661
 intercalaris 655, 658, 659f,
 664, 665f
 joyonii 655, 657f, 658, 661,
 663-664, 663f
 Oudemansiella
 brunneomarginata 14
 canarii 13-14
 mucida 7, 13-14
 Pachnocybe
 ferruginea 822-837
 Pachytrype
 princeps 894
 Palaeocephala
 cymatelloides 549
 Panellus
 stypticus 9
 Papulaspora 412
 Papulosa
 amerospora 540
 Pareutypella 891, 894-895
 nematoceras 892, 892-893f,
 894
 sulcata 891, 892-893f, 894
 Parmelia
 sulcata 456
 Pauahia 704-706
 sideroxyli 702-706, 703-705f
 Penicillium 82, 190-195, 210,
 224
 dendriticum 80
 expansum 848, 850
 funiculosum 80, 431, 854
 italicum 848, 850-851
 Peniophora
 sacrata 889
 Perichaema

- depressa 780, 782
 quadrata 780
 vermicularis 780, 782
Periconia
 hispidula 320-321
Periconiella
 sp. 504
Peroneutypa 895
Peroneutypella 895
 echidna 894
Peziza 755, 757
Pezizella
 ericae 467
Phaeocalicium 245, 250
 praecedens 248-249, 251
Phaeococcomyces
 catenatus 905
 nigricans 905
Phaeoisaria 894-895
Phaenomena 223, 236
Phaeoramularia 716
 hachijoensis 713, 715f, 715-716
Phanerochaete 890
 sacrata 886, 889
Phellinus 805, 818
 chrysoloma 602
 cinereus 602
 conchatus 602
 gilvus 805-819, 807-808f, 811-812f
 hartigii 602
 hippophaecola 602
 ignarius 602
 laevigatus 602
 nigricans 602
 nigrolimitatus 602
 ossatus 602
 pini 602
 pomaceus 602
 populicola 602
 punctatus 602
 ribes 602
 robustus 602
 torulosus 602
 tremulae 597-602, 600-601f
 viticola 602
 weirii 602, 639-641, 805, 818-819
Phellorinia 96
Phialocephala
 dimorphospora 459, 461-462
Phialocladus 407
 zsoitii 407
Phialophora 72, 82, 196-201, 245, 375, 377, 383, 387-388, 390-391, 393-395, 542
 americana 72-82, 76f
 dermatitidis 153
 parasitica 72-82, 76f
 richardsiae 72-82, 76f
 verrucosa 72-82, 76f
Phleogena 909, 913, 919
Phlyctochytrium 32
Pholiota 13
Phoma 320-321
 etheridgei 907
 glomerata 504
 macrostoma 504
 sorghina 504
 sp. 504
Phomopsis 320-321, 923
 lirelliformis var. gredensis 501, 504-505
Phycomyces
 blakesleeana 314-316
 nitens 314-316
Phyllosticta 759
 ampellicida 758-769, 763f, 765-767f
Physarella
 oblonga 779-780, 782-783
Physarina
 echinospira 780
Physarum 141
 aeneum 780
 apiculosporum 780, 782
 auriscalpium 780
 bilgramii 780
 borgoriense 780
 cinereum 780, 782
 compressum 779-780, 782, 784
 diderma 142
 didermoides 780, 782
 flavicomum 780, 782
 globuliferum 780, 782
 gyrosum 780, 782
 leucophaeum 780
 leucopus 780, 782
 melleum 780
 nicaraguense 780, 782
 notabile 780
 nucleatum 780
 nudum 780, 782
 oblatum 780
 polyccephalum 140, 780, 782, 784
 pusillum 782
 rigidum 782
 roseum 779-780, 782, 784
 stellatum 780
 straminipes 780
 tenerum 780
 vernum 780
Phytophthora 224, 276, 330, 347-348, 480
 infestans 579-581, 581f
 megasperma 140, 347
 megasperma f. sp. glycinea 350
Pichia 347
Pilobolus
 crystallinus 316
Pirella
 circinans 254, 256-257, 263
Piromyces 655-656, 658, 665
 communis 655, 658, 665-666, 667f
 dumbonica 655, 660, 668
 mae 659, 667, 669f, 669-670
 minutus 655, 657f, 660, 671, 672f
 rhizinflatus 655, 657f, 659f, 660, 668, 670-671, 670f
 spiralis 655, 658, 671, 673f
 spp. 656
Planoprotostelium 269
 aurantium 265, 269-270
Platyloca
 addita 919
 disciformis 22
Plectania
 campylospora 94
 melastoma 94
Plectosphaerella 402
 cucumerina 397-399, 402-404
 cucumeris 397, 399, 404
Plectosporium 397, 398
 tabacinum 399, 400f, 402-404
Pleurage
 dakotensis 389
Pleurotus 7, 9, 13
 abalonus 14
 cornucopiae 822-837
 djamor 9, 14
 ostreatus 618, 819
 pulmonarius 7
 purpureo-olivaceus 14
 sajor-caju 7
 sapidus 7
 smithii 14
Pneumocystis
 carinii 142
Podochytrium 32
 dentatum 31
Podospora 375-377, 388
 aloides 375, 377-379, 378f, 385f, 391, 394-395
 anserina 616
 conica 375, 377-379, 383, 379, 378f, 380f, 382f, 384f, 386f, 385-387, 385f, 389, 390, 392-395
 curvula 379, 383
 curvuloides 375, 377-378, 378f, 384f, 387f, 386-389, 391
 dakotensis 375, 377-378, 378f, 380-382f, 384f, 389f, 389-392
 glutinans 375, 377-379, 378f, 384f, 390f, 389-391
 miniglutinans 375, 377-379, 378f, 382f, 384-385f, 392f, 390-392, 395
 tetraspora 375, 377-379, 378f, 380f, 382f, 384f, 393f, 386, 390-395
 vesticola 375, 377-379, 378f, 381-382f, 384f, 395f, 394-394
Polyporus
 colossus 224
 lucidus 223
Poronia 41, 43
Poroniopsis 41-42
Prataprajella 705
Protomyces 142
Protophysarum
 phoigenum 780, 782
Protostellidae 270
Protostelium 269
 arachisporum 415
 mycophaga 140-142, 265, 269-270, 415, 417-418
 nocturnum 269-270
Psathyrella
 coprophila 848, 851
Pseudocercospora
 gracilis 121, 123, 123f
Pseudogymnoascus
 roseus 468-469
Pseudohiatula
 ohshimae 7
Pseudomassaria
 islandica 320, 322
Pseudoxenasma 887
Pseudoxylaria 41
Puccinia 224
 graminis 186, 822-837
 graminis f. sp. avenae 350
 monoica 186
 sorghi 768
 striiformis 480
Punctelia
 rudecta 841-845
Pyrenopeziza
 brassicae 846-855
Pyricularia
 oryzae 373
Pyronema
 domesticum 854
Pythium 276, 333-334, 347, 896
 acanthicum 336, 339-340, 342, 344, 346-347, 349
 angustatum 896, 899
 aphanidermatum 334, 336-337, 340, 343-349
 aristosporum 336, 340, 344
 arrhenomanes 336, 339-340, 349
 debaryanum 346
 deliense 336-337, 340, 343-347, 349
 echinulatum 346
 fecundum 899
 graminicola 336, 339-340, 342, 344, 349
 heterothallicum 336, 340, 344
 irregulare 336, 340, 343-348
 monospermum 899
 multisporum 346, 896, 899-901
 myriotylum 333, 336, 339-346, 349-351
 nunn 336, 344
 oligandrum 333, 336-338, 341, 343-350
 paroecandrum 335

- periplocum 336, 344
 plurisporium 896, 899-901, 897, 897-898f, 900-901f
 polysporum 899
 pulchrum 896, 899
 spinosum 333, 337, 340-341, 343, 345-350
 splendens 337, 340, 344
 spp. 333
 sylvaticum 337, 340, 343-351
 torulosum 337, 357, 339-341, 343-347, 350
 ultimum 337, 357, 339-341, 343-347, 350
 vanterpoolii 337, 340, 344, 346, 349
 violae 896, 899
 Queletia 96
 Rhinocladia 302
 Rhizidiomyces
 apophysatum 141
 Rhizidium 25
 Rhizoclostrum 32
 globosum 31
 Rhizoctonia
 solani 373, 437, 504, 910, 917
 Rhizophydium
 planktonicum 161
 Rhizopus
 sexualis 313-314, 316
 stolonifer 412
 Rickenella
 fibula 884
 Rozites
 gongylophora 412
 Rugospora 574, 577-578
 ochraceobadia 574, 577f
 pseudorubiginosa 574-578, 576-577f
 Ruminomyces 655, 664
 elegans 664
 Saccharomyces
 cerevisiae 63-65, 140, 204-207, 335, 346, 431, 822-837
 Saprolegnia
 ferax 170
 Sarcoscypha 749, 753, 757
 austriaca 757
 coccinea 749-757, 750f, 752f, 754f
 dudleyi 749-757, 752f, 754f, 756f
 occidentalis 749-757, 750f, 752f, 754f, 756f
 Schizophyllum 805
 commune 817-818, 848, 851, 854
 Schizoplasmodiopsis 269
 amoeboida 415
 micropunctata 268
 pseudoendospora 415-417
 vulgare 415
 Schizoplasmodium 268
 Schizosaccharomyces
 japonicus 822-837
 pombe 63-65, 204-207, 335, 822-837
 Schizostoma
 laceratum 97, 102-103, 104f
 Schizothecium 375-377
 aloides 379
 conicum 379
 curvuloides 387
 dakotensis 389
 fimicolum 385
 glutinans 390
 miniglutinans 391-392
 minutum 395
 rimosum 387-388
 tetrasporum 393-394
 vesticola 394
 Sclerocystis 570
 Sclerotinia
 sclerotiorum 738, 854
 Scutellinia 94, 755
 Scutellospora 55, 127-136, 719, 729-730
 arenicola 679f, 682
 armeniaca 679f, 682, 735
 castanea 127, 135-136, 682
 coralloidea 128-136, 129f, 133f, 133
 dipurpurens 735
 erythropha 682
 fulgida 128-136, 129f, 133f
 gregaria 128-136, 133f
 hawaiiensis 678, 679-682, 679-681f
 heterogama 135-136
 pellucida 735
 persica 128-136, 129f, 133f, 728
 verrucosa 128-136, 129f, 132f
 Scytalidium
 vaccinii 467-469
 Scytinostroma 887
 Scytinostromella 887, 889
 Selenaspora 90, 94
 batava 91
 guernisacii 90-94, 91-93f
 Semimorula
 liquescent 780
 Septobasidium 22, 894
 carestianum 822-837
 Septomyxa
 affinis 399
 persicina 399
 Septoria
 ehrendorferi 320
 lythrina 504
 nodorum 511
 sp. 320
 spp. 321
 Siemaszko 697
 Skeletonema
 costatum 140
 Smittium
 culisetae 203, 205-207
 Solicorynespora 272
 Soliformovum 269
 irregularis 415, 417-418
 Sordaria 376
 aloides var. aloides 379
 brevicollis 848, 850-851, 854
 curvula 383-385
 curvula var. coronata 383
 fimicola 848, 851
 glutinans 390
 humana 398, 923
 macrospora 848-849, 851, 853, 852f
 tetraspora 393-394
 Spaceloma
 sp. 504
 Sphaeria
 vesticola 394-395
 Sphaeromonas 655, 671
 communis 672
 Sphaerotheca 525
 fusca 526-530
 pannosa 526-530
 Sphaerella
 solani 399
 Spizellomyces 203
 acuminatus 204-207
 Spizellomycetales 656
 Sporodinia
 grandis 315
 Sporonia
 subticinensis 716-717
 Sporomella 717
 octomera 717
 subticinensis 714f, 717
 Sporormia 717
 Sporothrix 84, 85, 298, 302
 Stemonitis
 axifera 140, 142
 ferruginea 140, 142
 flavogenita 779-780, 783-784
 fusca 780
 herbatica 780
 hyperopa 780
 virginensis 780
 Stenophyllum
 sp. 504
 Stenella 123, 716
 doliiforma 716
 lythri 504
 parkii 121, 122f
 Stenocybe 245
 Stephanosporium
 cereale 468
 Stephensia
 shanorii 923
 Stereum 887
 gausapatum 602
 hirsutum 602
 Stilbum 22
 Strongyleuma 245
 Stylonicha
 pustulata 140
 Suillus
 bovinus 360-361
 granulatus 360
 Synchronium
 lythrii 504
 Syzygites
 megalocarpus 315
 Talaromyces 224
 bacillisporus 211-221
 flavus var. macrosporus 211-221
 Tetragoniomyces 910, 919
 Tetrapiygus 13
 Thamnidium 253, 412
 elegans 254, 256-257
 Thamnostylus
 nigricans 263
 piriforme 254, 256-257, 263
 repens 263
 Thaxteriellopsis
 lignicola 879
 Thermoascus
 aurantiacus 362-365, 848, 850
 crustaceus 211-221
 Thielavia
 basicola 854
 Tilletia 22
 caries 66-67, 822-837
 controversa 66-67
 indica 61-67
 Tolypocladium
 niveum 871
 Tomophagus 234, 236
 Trachyderma 224, 236
 Trametes
 versicolor 459, 461-465
 Tremella 480
 obscura 919
 polyporina 919
 Tremellina 910
 Triangularia
 backusii 398
 Trichia
 flavoginea 780
 Trichocladium 542
 achrasporum 542
 medullare 532, 540, 542
 Trichoderma 412
 aureoviride 640-641
 hamatum 640-641
 harzianum 640-641
 koningii 640-641
 polysporum 640-641
 spp. 639-641
 virens 640-641
 viride 639-641, 848, 850, 854
 Trichoglossum 692
 Trichophaea 757
 Trichophyton
 rubrum 211-221
 Trimorphomyces 910, 919
 Truncatella
 angustata 320-321
 Trypanosoma
 brucei 335
 Tulostoma 96, 102
 albicans 96-97, 102-103, 105-106, 105f

- brumale 110
chudaei 106-107, 106f, 115
crassipes 107
cretaceum 99, 107, 108f
echinellum 107
exitum 96, 99, 107, 110, 109f
fimbriatum 99, 107, 111f
granulosum 110
jourdani 97, 107, 110, 112f
lejospermum 107
macrocephalum 96-97, 105, 110, 112, 113f
membranaceum 107, 110
meridionale 96-97, 113, 115, 114f
meristostoma 107
petri 110
poculatum 115
pulchellum 99, 115, 116f
punctulosum 107
pygmaeum 96-97, 115, 117, 117f
squamosum 107
submembranaceum 96, 99, 117, 118f, 119
utahense 96, 114-115
vittadini 110
- volvulatum 103
volvulatum var. elatum 112
Tychothrips 265
 acutostipes 265, 266f, 269f, 267-270
Ulocladium
 botrytis 848, 850
Urnula
 craterium 94
Urocystis 22
 waldsteiniae 22
Uromyces
 appendiculatus 767
 viciae-fabae 768
Ustacystis
 waldsteiniae 18-22, 20f
Ustilago 438
 avenae 22
 esculenta 22
 hordei 66, 480, 822-837
 maydis 22, 66, 142, 431, 822-837
 zeae 142
Valsa
 echidna 894
Vararia 887
Venturia 397, 399, 404
- inaequalis 848, 850-851, 872
Vermiculariopsiella
 arcicula 404
Verticillium
 sp. 504
Volvariella
 volvacea 14
Wallemia
 sebi 919
Wangiella
 dermatitidis 153-159, 157f
Wettsteinina
 dryadis 320-321
Willkommangea
 reticulata 780, 782
Wojnowicia
 buxi 518, 522-523
 byrophila 518, 522-524
 colluvium 518, 519, 520-522f, 522-524
 ephedrae 518, 521-522f, 522-524
 hirta 521-523, 521f
Wrightoporia 887
Xerula 14
 australis 7
 furfuracea 4
- radicata 14
Xylaria
 cubensis 592-595
 sp. 320-321
Xylobolus 887
Xylocoremium
 flabelliforme 592
Zoophthora
 radicans 203-207, 483, 488
Zygorhizidium
 affluens 161
 asterionella 161
 melosirae 162
 planktonicum 161-170, 164f, 166f, 168f
 planktonicum f. sp. *asterionellae* 162
 planktonicum f. sp. *synedrae* 162
Zygorhynchus 314, 316
 exponens 314
 heterogamus 304-317, 306-308f, 310f, 312-313f
 moelleri 314, 317
Zymoxenogloea
 eriphori 822-837

HOST INDEX

The Host Index includes generic names of host species, and the names of those fungi definitely indicated in the text as occurring on a particular host.

- Abies**
 Armillaria gallica 709
 ostoyae 709
 sinapina 709
Acer
 Armillaria calvescens 709
 gallica 709
 mellea 709
 ostoyae 709
 sinapina 709
 Glomus aggregatum 419
 hoi 419
 macrocarpum 419
 rubiforme 419
Aglaophyton
 Glomites rhyniensis 561
Agropyron
 Wojnowicia hirta 523
Agrostis
 Epichloe amarillans 184
 baconii 184
 Pythium plurisporum 897
Allium
 Gigaspora gigantea 773
Ambrosia
 Plectosporium tabacinum 401
Ammophila
 Gigaspora gigantea 726
 Glomus corymbiforme 734
Apium
 Plectosporium tabacinum 401
Arachis
 Aspergillus flavus 324
 parasiticus 324
 tamarii 324
 Fusarium tabacinum 397
Asclepias
 Plectosporium tabacinum 401
Asparagus
 Fusarium moniliforme 68
 proliferatum 68
 subglutinans 68
Asterionella
 Rhizophydium planktonicum 163
 Zygorhizidium planktonicum 161
Astraeus
 Aureohiphoxys astraeicola 692
 Gelatinipulvinella astraeicola 690
Austropotamobius
 Fusarium tabacinum 397
Beta
 Plectosporium tabacinum 401
Betula
 Armillaria calvescens 709
 gallica 709
 ostoyae 709
 sinapina 709
Bledius
 Misgomyces dyschirii 697
 Buxus
 Wojnowicia ephedrae 523
 Cajanus
 Fusarium anguioides 543
 Calluna
 Hymenoscyphus ericae 468
 Oidiodendron griseum 468
 Campanula
 Fusarium tabacinum 397
 Carex
 Gloiocephala menieri 549
 Carya
 Armillaria gallica 709
 Castanea
 Cryphonectria parasitica 738
 Castanopsis
 Lentinula edodes 619
 Casuarina
 Gigaspora candida 727
 Cenchrus
 Balanisia obtecta 173
 Cephalobus
 Arthrotrichum cladodes var. *macroides* 684
 oligospora var. *oligospora* 684
 Orbilia auricolor 684
 Chamaecyparis
 Ditangifibulae dikaryotae 913
 Xylaria cubensis 592
 Cicer
 Ascochyta rabiei 795
 Didymella rabiei 795
 Cocos
 Gigaspora gigantea 726
 Scutellospora hawaiiensis 679
 Convolvulus
 Fusarium anguioides 543
 Cornus
 Colletotrichum acutatum 403
 Discula destructiva 491
 Cucumis
 Plectosphaerella cucumerina 397
 Plectosporium tabacinum 401
 Cucurbita
 Plectosporium tabacinum 401
 Dactylis
 Wojnowicia hirta 523
 Deschampsia
 Glomus antarctica 452
 etunicatum 452
 intraradices 452
 Dodonaea
 Scutellospora hawaiiensis 679
 Dyschirius
 Misgomyces dyschirii 697
 Eleusine
 Entrophospora kentinensis 582
 Elymus
 Epichloe typhina 184
 Wojnowicia hirta 523
 Ephedra
 Wojnowicia ephedrae 523
 Erica
 Hymenoscyphus ericae 468

- Eucalyptus*
Mycosphaerella gracilis 125
parkii 121
Pseudocercospora gracilis 125
Stenella parkii 121
Euterpe
Xylaria cubensis 592
Fagus
Discula umbrinella 497
Festuca
Acremonium coenophialum 289
Fraxinus
Armillaria gallica 709
ostoyae 709
sinapina 709
Phialophora americana 74
Gaultheria
Hymenoscyphus ericae 468
Oidiodendron flavum 468
griseum 468
maius 468
Pseudogymnoascus roseus 468
Scytalidium vaccinii 468
Geoglossum
Micropyxis 692
Glycine
Gigaspora albida 724
margarita 726
rosea 727
Gossypium
Fusarium anguoides 543
Helianthus
Alternaria alternata 588
Fusarium tabacinum 397
Heterodera
Arthrobotrys dactyloides 644
oligospora 644
Monacrosporium cionopagum 644
ellipso sporum 644
Hieracium
Glomus corymbiforme 735
Homomona
Zoophthora radicans 204
Ilex
Anthracyllum archeri 13
Ipomoea
Fusarium lateritium 507
Scutellospora hawaiiensis 679
Juncus
Gaeumannomyces medullaris 540
Halosarpheia culmiperda 532
Massarina ricifera 537
Ommatomyces coronatus 538
Juniperus
Anthracyllum archeri 13
Leptospermum
Dextrinocystidia sacrata 889
Leucaena
Scutellospora hawaiiensis 679
Licuala
Xylaria cubensis 592
Lithocarpus
Lentinula edodes 619
Lolium
Venturia 404
Lonicera
Armillaria calvescens 709
Lycopersicon
Fusarium tabacinum 397
Plectosporium tabacinum 401
Lymantria
Entomophaga maimaiga 483
Lythrum
Alternaria alternata 504
Bipolaris sorokiniana 504
Botrytis cinerea 504
Candida sp. 504
Catenularia sp. 504
Chromelosporium carneum 504
Colletotrichum sp. 504
Coniothyrium olivaceum 504
Culcitalna sp. 504
Curvularia sp. 504
Diaporthe sp. 504
Discosia aquatica 504
Epicoccum nigrum 504
Fusarium anthophilum 504
avenaceum 504
graminearum 504
oxysporum 504
semitectum 504
sporotrichioides 504
tricinctum 504
Hainesia lythri 504
Leptosphaeria lythri 504
Ophiobolus niesslii 504
Periconiella sp. 504
Phoma glomerata 504
macrostoma 504
sorghina 504
sp. 504
Phomopsis lirelliformis var. *gredensis* 504
Rhizoctonia solani 504
Septoria lythrina 504
Sphaceloma sp. 504
Stemphylium sp. 504
Stenella lythri 504
Synchytrium lythrii 504
Verticillium sp. 504
Malus
Gigaspora rosea 727
Leucostoma cincta 474
Mastax
Misgomyces mastacis 697
Meliola
Gelatinopsis 692
Meloidogyne
Hirsutella rhossiliensis 644
Monacrosporium cionopagum 644
ellipso sporum 644
Melosira
Zygorhizidium melosirae 163
Musca
Entomophthora muscae 204
Nectandra
Phialophora parasitica 75
Neopanax
Amylofungus corrosus 888
Nicotiana
Plectosphaerella cucumerina 397
Plectosporium tabacinum 401
Ocimum
Fusarium tabacinum 397
Oenothera
Erysiphe howeana 526
Panax
Plectosporium tabacinum 401
Paspalum
Entrophospora kentinensis 582
Gigaspora decipiens 724
Petasites
Glomus corymbiforme 735
Phacelia
Plectosporium tabacinum 401
Physcia
Nectria parmelliae 841
Picea
Armillaria ostoyae 709
Pinus
Armillaria gallica 709
Ceratocystiopsis ranaculosus 84
Ophiostoma piliferum 857
Phialophora richardsiae 74
Pisum
Erysiphe pisi 138
Fusarium anguoides 543
Platyedon
Plectosporium tabacinum 401
Populus
Armillaria calvescens 709
gallica 709
ostoyae 709
sinapina 709
Hyphozyma lignicola 907
Knufia cryptophialidica 905
Phellinus tremulae 597
Phoma etheridgei 907
Prunus
Armillaria gallica 709
Gigaspora margarita 726
Leucostoma cincta 474
persoonii 474
Sphaerotheca pannosa 526
Pseudotsuga
Trichoderma aureoviride 641
hamatum 641
harzianum 641
koningii 641
polysporum 641
spp. 639
virens 641
viride 641
Quercus
Armillaria calvescens 709
gallica 709
mellea 709
ostoyae 709
sinapina 709
Brasiliomyces trina 526
Lentinula edodes 619
Marasmius androsaceus 15
Microsphaera abbreviata 526
Reicheia
Misgomyces reicheiae 701
Reticulitermes
Metarhizium anisopliae var. *anisopliae* 354
Rhododendron
Anthracyllum archeri 13
Hymenoscyphus ericae 468
Oidiodendron maius 468
periconioides 468
Rosa
Sphaerotheca pannosa 526
Scaevola
Scutellospora hawaiiensis 679
Scirpus
Gloiocephala aquatica 549
Senecio
Plectosporium tabacinum 401
Setaria
Entrophospora kentinensis 582
Wojnowicia hirta 523
Sida
Scutellospora hawaiiensis 679
Sideroxylon
Pauahia sideroxyli 702
Solanum
Fusarium anguoides 543
Phytophthora infestans 579
Plectosporium tabacinum 401
Solidago
Gigaspora gigantea 726
Spartina
Gigaspora albida 724
gigantea 726
Halosarpheia 536
Sporobolus
Scutellospora hawaiiensis 679
Styrax
Asteridiella styracicola 706
Synedra
Zygorhizidium planktonicum 161
Syringa
Microsphaera syringae 526
Thuja
Armillaria ostoyae 709
sinapina 709
Tilia
Armillaria calvescens 709
Trachymyrmex
Escovopsis aspergilloides 407
Trifolium
Gigaspora decipiens 724
Triticum
Plectosporium tabacinum 401
Wojnowicia hirta 523
Tsuga
Armillaria ostoyae 709
sinapina 709
Ulmus
Armillaria calvescens 709

- | | | | |
|------------------------------|-----------------------------|-------------------------------|----------------------------|
| gallica 709 | Oidiodendron chlamydospori- | Scytalidium vaccinii 468 | Vitis |
| ostoyae 709 | cum 468 | Stephanosporium cereale 468 | Anthracophyllum archeri 13 |
| Utricularia | citrinum 468 | Verbesina | Waldsteinia |
| Entophlyctis luteolus 25 | flavum 468 | Scutellospora hawaiiensis 679 | Ustacystis waldsteiniae 18 |
| Vaccinium | griseum 468 | Vigna | Zea |
| Colletotrichum acutatum 398 | periconioides 468 | Scutellospora hawaiiensis 679 | Fusarium moniliforme 510 |
| Gymnascella dankaliensis 468 | rhodogenum 468 | Viola | Gigaspora gigantea 772 |
| Hymenoscyphus ericae 468 | scytaloides 468 | Plectosporium tabacinum 401 | |
| Myxotrichum setosum 468 | Pseudogymnoascus roseus | Vitex | |
| | 468 | Scutellospora hawaiiensis 679 | |